



NEXUS PREMOLD

Retread Products & Services



A Division of H&H Industries

Phone: (740) 682-7721

Fax: (740) 682-0530

HHINDUSTRIESINC.COM

- ❖ H&H Industries has been pioneering the process of Precure Retreading OTR Tires since its inception. With our own press and precure molds, H&H is the only OTR retread provider capable of using different compounds custom blended for your application.
- ❖ Not only can we offer OTR premolded retreading, but now we can supply precure tread rubber to OTR retread companies nationwide.

NEXUS PREMOLD
RETREAD PRODUCTS & SERVICES

- ❖ Precure retreads offer a new tire appearance with the ability to run in lower cut/higher heat applications. While also maintaining the highest wear factor amongst our other retreading methods.
- ❖ Precure retreads are proven to run 10% cooler than standard retreads.

XHA



Size	Segment Length	Segment Width	Segment Weight	Segments per tire	Tread Depth
17.5	39"	15.5"	26.5 lbs.	4	36/32s
20.5	43"	18.5"	36 lbs.	4	39/32s
23.5	46.25"	20.563"	44.5 lbs.	4	42/32s
26.5	40.125"	24"	49.2 lbs.	5	47/32s
29.5	42.125"	26"	45 lbs.	5	48/32s



VMT



Size	Segment Length	Segment Width	Segment Weight	Segments per tire	Tread Depth
20.5	43.125"	18.5"	39 lbs.	6	42/32s
23.5	46.25"	20.563"	55 lbs.	4	44/32s
26.5	40.125"	24"	62.5 lbs.	5	48/32s
29.5	42.75"	26"	72 lbs.	5	53/32s



XHA




VMT



Tread Designs →	XHA					VMT			
Tread Size →	17.5	20.5	23.5	26.5	29.5	20.5	23.5	26.5	29.5
Tire Size ↓									
14.00-24/25									
15.5-25	✱								
17.5-25	✱								
18.00-25									✱
20.5-25		✱				✱			
23.5-25			✱				✱		
26.5-25				✱				✱	
29.5-25									✱
18.00-33									✱
21.00-35		✱	✱			✱	✱		
24.00-35			✱	✱			✱	✱	
27.00-49									✱
750/65R25				✱				✱	✱

VMTP



Size	Segment Length	Segment Width	Segment Weight	Segments per tire	Tread Depth
18.00	42.438"	17.75"	56.7 lbs.	5	64/32s
24.00	39.5"	22"	75 lbs.	6	80/32s




XDT



Size	Segment Length	Segment Width	Segment Weight	Segments per tire	Tread Depth
18.00	42"	18.25"	32 lbs.	5	64/32s
24.00	35.25"	22.5"	55 lbs.	7	64/32s
27.00	30.125"	26.75"	70 lbs.	10	70/32s



VMTP



XDT



Tread Designs →	VMTP		XDT		
Tread Size →	18	24	18	24	27
Tire Size ↓					
14.00-24/25					
15.5-25					
17.5-25					
18.00-25	✱		✱		
20.5-25					
23.5-25					
26.5-25		✱			
29.5-25					
18.00-33	✱		✱		
21.00-35					
24.00-35		✱		✱	
27.00-49					✱
750/65R25					

XMINE



Size	Segment Length	Segment Width	Segment Weight	Segments per tire	Tread Depth
20.5	43.5"	19"	53 lbs.	4	64/32s



VSNT



Size	Segment Length	Segment Width	Segment Weight	Segments per tire	Tread Depth
20.5	43.5"	18.725"	58.5 lbs.	4	62/32s
23.5	37"	20.875"	55.9 lbs.	5	67/32s
26.5	40.25"	24.813"	73.4 lbs.	5	68/32s
29.5	35.688"	27.563"	71.6 lbs.	6	70/32s
35/65	28.875"	33.5"	74.5 lbs.	8	74/32s



XMINE



VSNT



Tread Designs →	XMINE	VSNT				
Tread Size →	20.5	20.5	23.5	26.5	29.5	35/65
Tire Size ↓						
14.00-24/25						
15.5-25						
17.5-25						
18.00-25						
20.5-25	✱	✱				
23.5-25			✱			
26.5-25				✱		
29.5-25					✱	
18.00-33						
21.00-35		✱	✱			
24.00-35			✱	✱		
27.00-49					✱	
750/65R25				✱	✱	
35/65						✱

XLD



Size	Segment Length	Segment Width	Segment Weight	Segments per tire	Tread Depth
35/65	30.25"	31.5"	55 lbs.	8	70/32s



VSW



Size	Segment Length	Segment Width	Segment Weight	Segments per tire	Tread Depth
14.00	39.75"	12.75"	23 lbs.	4	35/32s
17.5	38.875"	15.5"	26.5 lbs.	4	35/32s
20.5	43"	18.5"	36 lbs.	4	38/32s
23.5	46.25"	20.563"	46.5 lbs.	4	40/32s
26.5	40.125"	24"	50 lbs.	5	42/32s



XLD




VSW



Tread Designs →	XLD	VSW				
Tread Size →	35/65	14	17.5	20.5	23.5	26.5
Tire Size ↓						
14.00-24/25		✱				
15.5-25			✱			
17.5-25			✱			
18.00-25						
20.5-25				✱		
23.5-25					✱	
26.5-25						✱
29.5-25						
18.00-33						
21.00-35				✱	✱	
24.00-35					✱	✱
27.00-49						
750/65R25						✱
35/65	✱					

VUT



Size	Segment Length	Segment Width	Segment Weight	Segments per tire	Tread Depth
14.00	39.5"	12.75"	10 lbs.	4	32/32s



PG



Size	Segment Length	Segment Width	Segment Weight	Segments per tire	Tread Depth
14.00	39.875"	12.75"	10 lbs.	4	32/32s



VUT



PG



Tread Designs →	VUT	PG
Tread Size →	14	14
Tire Size ↓		
14.00-24/25	✱	✱
15.5-25		
17.5-25		
18.00-25		
20.5-25		
23.5-25		
26.5-25		
29.5-25		
18.00-33		
21.00-35		
24.00-35		
27.00-49		
750/65R25		