



Built By Retreaders For Retreaders



NEXUS PREMOLD

Retread Products & Services

Order Form

A Division of H&H Industries



Phone: (740) 682-7721

Fax: (740) 682-0530

HHINDUSTRIESINC.COM

- ❖ H&H Industries has been pioneering the process of Precure Retreading OTR Tires since its inception. With our own press and precure molds, H&H is the only OTR retread provider capable of using different compounds custom blended for your application.
- ❖ Not only can we offer OTR premolded retreading, but now we can supply precure tread rubber to OTR retread companies nationwide.

NEXUS PREMOLD
RETREAD PRODUCTS & SERVICES

- ❖ Dimensional data listed in this catalogue are based on common buffing data. Some sizes may need modification to certain parameters for proper tread segment size and fitment. Buffing dimensions may differ due to brand, casing type, ply, TRA code, etc. Tread segment compatibility should be verified based on your buff data and specifications to ensure proper fitment.

XHA



Size	Segment Length	Segment Width	Segments per tire	Tread Depth	Tires Per Skid	Number of Skids Needed
15.5	39"	15.5"	4	36/32	12	
16	39"	15.5"	4	36/32	12	
17.5	39"	15.5"	4	36/32	12	
18	43"	18.5"	4	39/32	10	
20.5	43"	18.5"	4	39/32	10	
23.5	46.25"	20.563"	4	42/32	8	
26.5	40.125"	24"	5	47/32	6	
29.5	42.125"	26"	5	48/32	4	

VMT



Size	Segment Length	Segment Width	Segments per tire	Tread Depth	Tires Per Skid	Number of Skids Needed
18	43.125"	18.5"	4	42/32	10	
20.5	43.125"	18.5"	4	42/32	10	
23.5	46.25"	20.563"	4	44/32	8	
26.5	40.125"	24"	5	48/32	6	
29.5	42.75"	26"	5	53/32	4	

Date: _____


Customer: _____

PO#: _____

Signature: _____

Return email to:

VMTP



Size	Segment Length	Segment Width	Segments per tire	Tread Depth	Tires Per Skid	Number of Skids Needed
18	42.438"	17.75"	5	64/32	4	
21	42.438"	17.75"	5	64/32	4	
24	39.5"	22"	6	80/32	4	

XDT



Size	Segment Length	Segment Width	Segments per tire	Tread Depth	Tires Per Skid	Number of Skids Needed
18	42"	18.25"	5	64/32	4	
21	42"	18.25"	5	64/32	4	
24	35.25"	22.5"	7	64/32	4	
27	30.125"	26.75"	10	70/32	2	

Date: _____

Customer: _____

PO#: _____

Signature: _____

Return email to:

XMINE

Size	Segment Length	Segment Width	Segments per tire	Tread Depth	Tires Per Skid	Number of Skids Needed
20.5	43.5"	19"	4	64/32	6	
23.5	43.5"	19"	4	64/32	6	

VSNT

Size	Segment Length	Segment Width	Segments per tire	Tread Depth	Tires Per Skid	Number of Skids Needed
20.5	43.5"	18.725"	4	62/32	6	
23.5	37"	20.875"	5	67/32	4	
26.5	40.25"	24.813"	5	68/32	4	
29.5	35.688"	27.563"	6	70/32	4	
35/65	28.875"	33.5"	8	74/32	2	
875/65	28.875"	33.5"	8	74/32	2	

Date: _____

Customer: _____

PO#: _____

Signature: _____

Return email to:

XLD



Size	Segment Length	Segment Width	Segments per tire	Tread Depth	Tires Per Skid	Skid Quantity
35/65	30.25"	31.5"	8	64/32	2	
875/65	30.25"	31.5"	8	64/32	2	

VSW



Size	Segment Length	Segment Width	Segments per tire	Tread Depth	Tires Per Skid	Skid Quantity
14	39.75"	12.75"	4	35/32	14	
16	38.875"	15.5"	4	35/32	12	
17.5	38.875"	15.5"	4	35/32	12	
20.5	43"	18.5"	4	38/32	10	
23.5	46.25"	20.563"	4	40/32	8	
26.5	40.125"	24"	5	42/32	6	

Date: _____

Customer: _____

PO#: _____

Signature: _____

Return email to:

VUT



Size	Segment Length	Segment Width	Segments per tire	Tread Depth	Tires Per Skid	Skid Quantity
13	39.5"	12.75"	4	32/32	14	
14	39.5"	12.75"	4	32/32	14	

PG



Size	Segment Length	Segment Width	Segments per tire	Tread Depth	Tires Per Skid	Skid Quantity
13	39.875"	12.75"	4	32/32	14	
14	39.875"	12.75"	4	32/32	14	

Date: _____

Customer: _____

PO#: _____

Signature: _____

Return email to:



Built By Retreaders For Retreaders



NEXUS PREMOLD

Retread Products & Services



A Division of H&H Industries

Phone: (740) 682-7721

Fax: (740) 682-0530

HHINDUSTRIESINC.COM